

Polarization-Maintaining Raman Optical Fiber

P/N: 27313



Overview

OFS Raman Fiber is specifically designed for applications where a high Raman gain efficiency is required. The PM type is designed with a high index core and a small effective area. It is constructed using B203 doped stress rods for high birefringence.

With appropriate choice of pump wavelength, the standard Raman fiber can provide gain at any wavelength from 1200 to 1700 nm. Additionally, it offers bending performance, good splicing properties and low attenuation at the water peak.

Typical Applications

Discrete Broadband Raman Amplifiers Raman Lasers



Polarization-Maintaining Raman Optical Fiber

P/N: 27313

Product Description	PM Raman Optical Fiber
Physical Characteristics	
Cladding Diameter	125 ± 1.0 μm
Coating Diameter	245 ± 5 μm
Clad Non-Circularity	< 2%
Core Eccentricity	< 0.6 µm
Optical Characteristics	
Туре	Non-Standard
Cutoff Wavelength	< 1050 nm
Effective Area @ 1450 nm	16.1 ± 1.5 µm²
Effective Area @ 1550 nm	18.7 ± 1.5 µm²
Attenuation @ 1450 nm (Maximum)	0.58 dB/km
Attenuation @ 1550 nm (Maximum)	0.45 dB/km
Attenuation @ 1450 nm (Typical)	0.54 dB/km
Attenuation @ 1550 nm (Typical)	0.42 dB/km
Dispersion @ 1550 nm	-20 ps/(nm·km)
Dispersion Slope @ 1550 nm	0.02 ps/(nm ² ·km)
Raman Gain Efficiency @ 1551 nm	2.5 (W·km) ⁻¹
Extinction Ratio (L=100 m)	> 30 dB
PM or non-PM	PM
Peak Raman Gain Efficiency (Typical)	2.5 (W·km) ⁻¹ Using a Depolarized Pump at 1453 nm (W·km) ⁻¹
Birefringence (Typical)	2.8 x 10 ⁻⁴
Mechanical and Environmental	
Proof Test Level	≥ 200 kpsi (1.38 GPa)
Order by Part Number	27313



For additional information please contact your sales representative.


You can also visit our website at www.ofsoptics.com or call 1-888-fiberhelp (1-888-342-3743) USA or 1-770-798-5555 outside the USA.





Copyright © 2022 OFS Fitel, LLC. All rights reserved, printed in USA.

OFS Marketing Communications Date: 05/22





OFS reserves the right to make changes to the prices and product(s) described in this document at any time without notice. This document is for informational purposes only and is not intended to modify or supplement any OFS warranties or specifications relating to any of its products or services.