


## Duplex 2.5 mm Step-Index 200 μm HCS® Riser Fiber Optic Cable

P/N: AC03720-10



## **Overview**

OFS 2.5 mm HCS fiber cables are designed primarily for industrial data-communication applications. Taking advantage of the durability and toughness of HCS optical fibers, these tight-buffer cables surround the fiber with high-strength aramid yarn and are protected with a tough 2.5 mm diameter PVC jacket.

## **Typical Applications**

Factory Automation
Industrial Communications
Laser Power Delivery

P/N: AC03720-10

Product Specifications	
Product Description	Duplex 2.5 mm Step-Index 200 μm HCS Riser Fiber Optic Cable
Physical Characteristics	
Construction	Duplex
Numerical Aperture	0.37
Fiber Core Diameter	200 ± 4 μm
Sub-Unit Diameter	2.5 ± 0.1 mm
Outer Cable Diameter	3.5 x 6.0 mm
Cable Weight	20 kg/km
Outer Jacket Material	PVC
Outer Jacket Color	Orange
Crimp & Cleave Compatibility	SMA Connectors, ST Connectors
Optical Characteristics	
Туре	Multimode Step-Index
Attenuation @ 850 nm	≤ 6 dB/km
Fiber Specifications	CF01493-10, 200 µm HCS 0.37 NA Low OH Optical Fiber
Mechanical and Environmental	
Installation Load (Maximum)	220 lb. (979 N)
Operating Load (Maximum)	110 lb. (489 N)
Minimum Bend Installation	53 mm
Minimum Bend Operating	35 mm
Operating Temperature	-20 to +80 °C
Storage Temperature	-40 to +80 °C
Order by Part Number	AC03720-10
Product Description Code	HCP-M0200T-A02VD

OPTIONS: Jacket color, print legend, terminated assemblies

**NOTE:** The operating temperature ranges are general guidelines. Consult with our Technical Sales department to determine the optimal coating and jacketing material for your specific application. 1.860.678.6636.

## For additional information please contact your sales representative.

You can also visit our website at www.ofsoptics.com or call 1-888-fiberhelp (1-888-342-3743) USA or 1-770-798-5555 outside the USA.







OFS Marketing Communications

Date: 04/21

HCS is a registered trademark of OFS Fitel, LLC. OFS reserves the right to make changes to the prices and product(s) described in this document at any time without notice. This document is for informational purposes only and is not intended to modify or supplement any OFS warranties or specifications relating to any of its products or services.